

Curriculum Vitae di Fabrizio Adani - Dipartimento di Scienze Agrarie e Ambientali: Produzione, Territorio, Agroenergia - Università degli Studi di Milano, Via Celoria 2, 20133 Milano. E-mail: fabrizio.adani@unimi.it.

Laureato in Scienze Agrarie presso l'Università degli Studi di Milano nell' a.a 1988, ha lavorato dal 1988 al 1990 per enti pubblici e società private nel campo del recupero di biomasse. Ha conseguito il titolo di dottore di ricerca, curriculum Protezione dell'Ambiente, nel 1993, presso l'Università degli Studi della Basilicata. Ha svolto attività di ricerca presso l'Istituto di Chimica Industriale A. Natta del Politecnico di Milano durante il biennio 1994-95. Dal 1997 lavora presso il Dipartimento di Produzione Vegetale dell'Università degli Studi di Milano, dove svolge attività di ricerca su tematiche relative alla chimica del suolo ed al recupero e trattamento dei rifiuti organici e produzione di bioenergia in qualità di Professore Straordinario. E' titolare dei corsi di Laurea: Suolo e Ambiente (6 CFU), Uso e Riciclo delle Biomasse in Agricoltura (4CFU), Uso e Riciclo delle Biomasse Agroindustriali (6 CFU), Chimica delle Biomasse e Produzione di Bioenergia (4 CFU), Laboratorio di Chimica Agraria (6 CFU). E' responsabile scientifico del Gruppo Ricicla dell'Università degli Studi di Milano.

Bibliographic data (source SCOPUS): Documents 100; h index = 24; total citations 1700.

METHODS

1. Determinazione della Stabilità Biologica mediante l'Indice Respirometrico Dinamico (IRD). UNI/TS 11184, 2006: ICS13.030.01; 75.160.10.
2. Solid recovered fuels - Determination of potential rate of microbial self heating using the real dynamic respiration index. CEN/TS 15590, march 2007.
3. ISI PUBLICATIONS - ONLY PEER REVIEWED (ISI)
4. Adani F., Genevini P.L. and Tambone F. (1995). A new index for compost stability. *Compost Science & Utilization*, 3 (2): 25-37.
5. Montoneri E., Savarino P., Adani F. and Ricca G. (1995). Organosulphur phosphorus acid compound. Part 6. Preparation and analytical identification of fluorobenzylphosphono-disulphonic acids. *Phosphorus, Sulphur and Silicon*, 106: 37-45.
6. Cangle K.J., Squattrito P.J., Adani F. and Montoneri E. (1996). Structures of fluorobenzyl phosphonic acid isomers and their calcium salts. *Inorg. Chim. Acta*, 253: 77-85.
7. Benedetto A.F., Squattrito P.J., Adani F. and Montoneri E. (1997). Structural chemistry of sulphonated fluoro benzyl phosphonate salts I. *Inorg. Chim. Acta*, 260, 207-216.
8. Genevini P.L., Adani F. and Villa C. (1997). Rice hull degradation by co-composting with dairy cattle slurry. *Soil Science and Plant Nutrition*, 43(1): 135-147.

9. Adani F., Genevini P.L., Gasperi F. and Zorzi G. (1997). Organic matter Evolution Index (OMEI) as a measure of composting efficiency. *Compost Science & Utilization*, 5 (2) : 53-62.
10. Genevini P.L., Adani F., Borio D. and Tambone (1997). Heavy metal content in selected Europe compost. *Compost Science & Utilization*, 3 (4) : 31-39.
11. Adani F., Tambone F., Genevini P.L. and Calcaterra E. (1998). Stabilization of municipal solid waste fractions obtained by mechanical pretreatment: laboratory tests. *International Technology* 4: 2-8.
12. Chefetz B., Adani F., Genevini P.L., Hadar Y., Tambone F. and Chen Y. (1999). Humic-acid transformation during composting of municipal solid waste. *J. Environ. Qual.*, 27: 794-800.
13. Adani F., Casciola M., D.J. Jones, L. Massinelli, E. Montoneri, J. Rozière and R. Vivani. (1998). Electrochemical and spectroscopic characterization of barium acid salts of 3,5-disulfophenylphosphonic acids. *J. Mater. Chem.*, 8 (4): 961-964.
14. Montoneri E., Savarino P., Quagliotto P., Adani F. and Ricca G. (1998). Organosulphur phosphorus acid compound. Part 7. Preparation and analytical identification of difluorobenzylphosphono-sulphonic acids. *Phosphorus, Sulphur and Silicon*, vol. 134/135, 99-108.
15. Adani F., P.L. Genevini, and P. Zaccheo G. Zocchi (1998). Effects of commercial humic acid fractions on growth and nutritive state of tomato plants (*Lycopersicon esculentum* L.). *J. Plant Nutrit*, 21 (3): 561-575.
16. Adani F., P.L. Genevini, F. Gasperi and F. Tambone. (1999). Composting and humification. *Compost Science & Utilization*, 7 (1): 24-33.
17. Adani F., Scatigna L., Genevini P.L. (2000). Biostabilization of mechanically separated municipal solid waste fraction. *Waste Management Research*, 18: 1-9.
18. Scaglia B., Tambone F., Genevini P.L. and Adani F. (2000). Respiration Index Determination: a dynamic and static approach. *Compost Science & Utilization*, 8 (2), 90-98.
19. Scaglia B., Tambone F., Genevini P.L., Adani F. (2000). New rules for the design of composting plants and compost quality in the Regione Lombardia (North Italy). *Biocycle*, 4, 80-82.
20. Calcaterra E., Baldi M., Adani F. (2000). An innovative technology for municipal solid waste energy recovery. *C.I.P.A.-Centro di Ingegneria per la Protezione dell'Ambiente*-123-135.

21. Ricca G., Severini F., Di Silvestro G., Adani F. (2000). Derivatization and structural studies by spectroscopic methods of humic acids from Leonardite. *Geoderma*, (98) 3-4 pp. 115-125.
22. Adani F., Lozzi P., Genevini P.L. (2001). Determination of biological stability by oxygen uptake on municipal solid waste and derived products. *Compost science & Utilization*, 9 (29), 163-178.
23. Adani F., Montoneri E., and Squattrito P.J.. (2000). 4-Fluoro-2-(phosphonomethyl)-benzenesulfonic acid monohydrate. *Acta Crystallographica*, C56: 463-464.
24. Veeken A.H.M., Adani F., Nierop K.G.J., de Jager P.A., Dijkema C. and Hamelers H.V.M. (2001). Degradation of organic compounds during high-rate composting of wheat straw amended pig faeces. *J. Environ. Quality* :30 :1675-1684.
25. Adani F., Baido D., Calcaterra E. and Genevini P.L. (2002). The influence of biomass temperature on biostabilization-biodrying of municipal solid waste. *Bioresource Technology*, 83 (3), 173-179.
26. Genevini P.L., Adani F., Veeken A.H.M., Nierop K.G. J., Scaglia B. and Dijkema C. (2002). Qualitative modification of humic acid and core-humic acid during high-rate composting of pig faeces amended with wheat straw. *Soil Sci. Plant Nutr.*, 48 (2), 135-141.
27. Genevini P.L., Adani F., Veeken A.H.M., and Scaglia B. (2002). Evolution of humic and core-humic during high-rate composting of pig faeces amended with wheat straw. *Soil Sci. Plant Nutr.* 48 (2), 143-150.
28. Adani F., Gigliotti G., Valentini F. and Laraia R. (2003). Respiration index determination: a comparative study of different methods. *Compost Science & Utilization*, 11 (2): 144-151.
29. Montoneri E., Savarino P., Adani F., Genevini P.L. and Ricca G., Zanetti F. and Paoletti S. (2003). Polyalkylphenyl-Sulphonic acid with acid of variable strength from compost. *Waste Management*, 23/6, 523-535.
30. Genevini P.L., Tambone F., Adani F., Veeken H.M., Nierop K.G.J., and Montoneri E. (2003). Evolution and Qualitative Modifications of Humin-Like Matter during High Rate Composting of Pig Faeces Amended with Wheat Straw . *Soil Science Plant Nutrition*, 49 (6): 785-792.
31. Lhadi E.K., Tazi H., Aylaj M., Tambone F. and Adani F. (2004). Municipal solid waste and poultry manure co-composting in Morocco. *Compost Science & Utilization*, 12 (2): 137-144.
32. Adani F. (2004). An interlaboratory study of heavy metal content in compost. *Compost Science & Utilization*, 12 (3): 285-292.
33. Montoneri E., Adani F., Genevini P.L., Ricca, Cherubini S., Spitaleri C. (2004).

- Polyalkylphenyl-Sulphonic acid with acid of variable strength from animal-vegetable wastes. *Waste Management*, 24 (5): 513-522.
34. Adani F., Confalonieri R., Tambone, F. (2004). Dynamic respiration index as descriptor of the biological stability of organic wastes, *Journal Environmental Quality*, 33:1866-1876.
 35. Adani F., Ricca G., (2004). The contribution of alkali soluble (humic acid-like) and unhydrolyzed- alkali soluble (core.humic acid-like) fractions extracted from maize plant to the formation of soil humic acid. *Chemosphere*, 56 (1): 13-22.
 36. Adani F., Tambone F., and Gotti A. (2004). Biostabilization of municipal solid waste. *Waste Management*, 24: 775-783.
 37. Pierucci P, Porazzi E., Martinez M. P., Adani F., Carati C., Rubino F. M., Colombi A., Calcaterra E. and Benfenati E. (2005) Volatile organic compounds produced during the aerobic biological processing of municipal solid waste in a pilot plant. *Chemosphere*, 59: 423-430
 38. Sugni M., Calcaterra E. and F. Adani. (2005). Biostabilization – Biodrying of Municipal Solid Waste by inverting air-flow. *Bioresource Technology*, 96, (12):1331-1337.
 39. Adani F. and Tambone F. (2005). Long-term effect of sewage sludge application on soil humic acid. *Chemosphere*, 60: 1214–1221.
 40. Adani F., Ubbiali C., and Genevini P.L. (2006) . The determination of biological stability of composts using the Dynamic Respiration Index: the results of experience after two years. *Waste Management*, 26: 41–48.
 41. Adani F., Spagnol M., Genevini P.L. (2006). Biochemical origin and refractory properties of humic acid extracted from the maize plant. *Biogeochemistry*,78: 85-96
 42. Lhadi, E.K., Tazi H., Aylaj M., Genevini P.L. and Adani F. (2006). Organic matter evolution during co-composting of the organic fraction of municipal solid waste and poultry manure. *Bioresource Technology*, 97, 2117-2123.
 43. D’Imporzano G. and Adani F. (2007). The contribution of water soluble and water insoluble organic fractions to oxygen uptake rate during high rate composting. *Biodegradation*, 18: 103-113
 44. Scaglia F. Erriquens G. Gigliotti G., Taccari M., Ciani M., Genevini P. L. Adani F. (2006). Precision determination for the Specific Oxygen Uptake Rate (SOUR) method used for biological stability evaluation of compost and biostabilized products. *Bioresource Technology*, 98: 706-713.
 45. Quagliotto P.L., Montoneri E., Tambone F., Adani F., Gobetto R., Viscardi E. Chemicals from Wastes: Compost-Derived Humic Acid–Like Matter as Surfactant. (2006). *Environ. Sci. Technol.*, 40: 1686-1692.
 46. Adani F., Genevini P.L., Ricca G., Tambone F., Montoneri E. (2006). Soil humic matter

- modification after four years of compost application. *Waste Management*, 27, 319-324.
47. Pinchas F., Atzmon N., Adani F., and Hass A., (2006). Disposal of Sewage Effluent and Biosolids in *Eucalyptus* Plantations: a Lysimeter Simulation Study. In Twardowska I., Allen H., E., Haggblom M. M. Eds. Soil and water pollution monitoring, protection and remediation. *NATO SCIENCE SERIES VOLUME*, 69, 433-453..
 48. Adani, F., Genevini P.L., Tambone, F., Montoneri E. (2006). Compost effect on soil humic acid: a NMR study. *Chemosphere*, 65: 1414-1418.
 49. Adani, F., Ricca G., Tambone F., Genevini (2006) The isolation of the stable fraction (the core) of the humic acid. *Chemosphere*, 65: 1300-1307.
 50. Adani, F., Spagnol, M., Nierop K., (2007). Biochemical origin and refractory properties of humic acid extracted from maize plants: the contribution of lignin. *Biogeochemistry*, 82: 55-65
 51. C. Baffi, M.T. Dell'Abate A. Nassisi, S. Silva, A. Benedetti, P.L. Genevini, F. Adani (2007). Determination of biological stability in compost: A comparison of methodologies. *Soil Biology Biochemistry*, 39: 1284-1293
 52. Tambone F., Genevini P.L., Adani F. (2007). The effects of short-term compost application on soil chemical properties and plant nutritional status of maize plant. *Compost science & Utilization*, 15 (3), 176-183.
 53. Salati S., Adani^F, Cosentino C., and Torri G. (2008) Studying soil organic matter using ¹³C CP-MAS NMR: The effect of soil chemical pre-treatments on spectra quality and representativity. *Chemosphere*, 70, 2092-2098.
 54. Saglia B and Adani F. (2008). An index for quantifying the aerobic reactivity of municipal solid wastes and derived waste products. *Sci Total Environm.*, 394, 183-191.
 55. Adani F. (2008). La stabilità biologica del compost: indice di respirazione come parametro di processo. *Fertilitas Agrorum*, 2 (1), 55-64.
 56. Quadri, G., Chen X., Jawitz, J., Tambone F., Genevini P.L., Faoro F., Adani F. (2008). Bio-based surfactant-like molecules from organic wastes: the effect of waste composition and composting process on surfactant properties and on the ability to solubilize tetrachloroethene (PCE). *Environ. Sci. Technol.*, 42, 2618-2623.
 57. Adani, F., Spagnol M, (2008). Humic acid formation in artificial soils amended with compost at different stages of organic matter evolution. *J. Environ. Qual.*, 37, 1608-1616.
 58. Schievano A., Pognani M, D'Imporzano G., Adani F. (2008). Predicting anaerobic biogasification potential of ingestates and digestates of a full-scale biogas plant using chemical and biological parameters. *Bioresource Thecnology*, 99, 8112-8117.

59. D'Imporzano G., Crivelli F., Adani F. (2008). Biological Compost Stability Influences Odor Molecules Production Measured by Electronic Nose during Food-Waste High-Rate Composting. *Sci Total Environm.*, 402, 278-284.
60. Montoneri E., Boffa V., Savarino P., Tambone F., Adani F., Micheletti L., Gianotti G., Chiono R. (2009). Use of biosurfactants from urban wastes compost in textile dyeing and soil remediation. *Waste Management*, 29, 383-389 (doi:10.1016/j.wasman.2008.01.011).
61. Adani F., Tambone F., Genevini P. (2009). Effect of compost application rate on carbon degradation and retention in soils. *Waste Management*, 29, 174-179 (doi:10.1016/j.wasman.2008.02.010).
62. Barrena R., D'Imporzano G., Ponsá S., Gea T., Artola A., Vázquez F., Sánchez A., Adani F. (2009). In search of a reliable technique for the determination of the biological stability of the organic matter in the mechanical-biological treated waste. *Journal of Hazardous Materials*, 162, 1065-1072.
63. Tambone F., Genevini P.L., D'Imporzano G., Adani F. (2009). Assessing amendment properties of digestate by studying the organic matter composition and the degree of biological stability during the anaerobic digestion of the organic fraction of MSW. *Bioresource Technology*, 100, 3140-3142.
64. Schievano A., D'Imporzano G., Adani F. (2009). Substituting energy crops with organic wastes and agro-industrial residues for biogas production. *Journal Environmental Management*, 90, 2537 – 2541.
65. Adani F., Salati S., Spagnol M., Tambone T., Genevini PL., Pilu P., Nierop K. G.J. (2009). Nanometer-scale structure of alkali-soluble bio-macromolecules of maize plant residues explains their recalcitrance in soil. *Chemosphere*, 76, 523-528.
66. Scaglia B. and Adani F. (2009). Biodegradability of soil water soluble organic carbon extracted from seven different soils. *Journal of Environmental Science*, 21, 641-646.
67. Pognani M., D'Imporzano G., Scaglia B., Adani F. (2009). Substituting energy crops with organic fraction of municipal solid waste for biogas production at farm level: A full-scale plant study. *Process Biochemistry*, 44, 817-821.
68. Scaglia B., Confalonieri R., D'Imporzano G., Adani F. (2010) Estimating biogas production of biologically treated municipal solid waste. *Bioresource Technology*, 101, 945–952.
69. Salati, S., Quadri, G. Tambone, F., Adani F. (2010) Fresh organic matter of municipal solid waste enhances phytoextraction of heavy metals from contaminated soil. *Environmental Pollution*, 158 (2010) 1899–1906, doi:10.1016/j.envpol.2009.10.039.

70. Papa, G., Spagnol, M., Tambone, F., Pilu, R., Scaglia, B., Adani F. (2010). Micropore surface area of alkali-soluble plant macromolecules (humic acids) drives their decomposition rates in soil. *Chemosphere* 78 (2010) 1036–1041.
71. Borin, S., Ventura, S., Tambone, F., Mapelli, F., Schubotz, F., Brusetti, L., Scaglia, B., D'Acqui, LP., Solheim, B., Turicchia, S., Adani F., Daffonchio D. (2010). Rock weathering creates oases of life in a High Arctic desert..1*Environmental Microbiology*, 12 (2), 281–292doi:10.1111/j.1462-2920.2009.02059.x
72. Schievano, A, Scaglia S., D'Imporzano, G., Malagutti L., Gozzi A., Adani F (2010) Prediction of biogas potentials using quick laboratory analyses: Upgrading previous models for application to heterogeneous organic matrices. *Bioresource Technology* 100, 5777–5782
73. Adani, F., Tambone, F., Davoli, E., Scaglia, B. (2010). Surfactant properties and tetrachloroethene (PCE) solubilisation ability 3 of humic acid-like substances extracted from maize plant and from organic wastes: A comparative study. *Chemosphere*, 78 (2010) 1017–1022, doi:10.1016/j.chemosphere.2009.11.039.
74. Schievano A., D'Imporzano G., Malagutti L., Fragali E., Ruboni G. Adani F. (2010). Evaluating inhibition conditions in high-solids anaerobic digestion of organic fraction of municipal solid waste, *Bioresource Technology*, 101 (14), 5728-5732 - doi:10.1016/j.biortech.2010.02.032.
75. Orzi V., Cadena E., D'Imporzano G. , Artola A., Davoli E., Crivelli M., Adani F. (2010). Potential odour emission measurement in organic fraction of municipal solid waste during anaerobic digestion: Relationship with process and biological stability parameters. *Bioresource Technology* 101, 7330–7337, doi:10.1016/j.biortech.2010.04.098.
76. Pognani M., Barrena R., Font X., Scaglia B., Adani F., Sánchez A. (2010) , Monitoring the organic matter properties in a combined anaerobic/aerobic full-scale municipal source-separated waste treatment plant. *Bioresource & Technology* 101, 6873–6877, doi:10.1016/j.biortech.2010.03.110.
77. Tambone F., Scaglia B., D'Imporzano G., Schievano A., Orzi V., Salati S., Adani F. (2010). Assessing amendment and fertilizing properties of digestates from anaerobic digestion through a comparative study with digested sludge and compost, *Chemosphere* 81, 577–583.
78. Scaglia B., Acutis M., Adani F. (2011). Precision determination for the dynamic respirometric index (DRI) method used for biological stability evaluation on municipal solid waste and derived products. *Waste Management*, 31, 2–9.
79. Scaglia B., Paradisi L., Adani F. (2011). Intra- and inter-laboratory variability in Real Dynamic Respiration Index (RDRI) method used to evaluate the potential rate of microbial self-heating of solid recovered fuel. *Bioresource & Technology* 102, 3591–3594.

80. Adani F., Papa G., Schievano A., Cardinale G., D'Imporzano G., Tambone F. (2011). Nanoscale Structure of the Cell Wall Protecting Cellulose from Enzyme Attack. *Env. Sci Technol.*, 45, 1107-1113.
81. Scaglia B., Orzi V., Artola A., Font X., Davoli E., Sanchez A., Adani F. (2011). Odours and volatile organic compounds emitted from municipal solid waste at different stage of decomposition and relationship with biological stability. *Bioresource & Technology*, 102 4638–4645.
82. Pognani M., Barrena R., Font X., Adani F., B. Scaglia, Sánchez A. (2011). Evolution of organic matter in a full-scale composting plant for the treatment of sewage sludge and biowaste by respiration techniques and pyrolysis-GC/MS. *Bioresource & Technology* 102, 4536–4543.
83. Tambone F., Scaglia B., Scotti S., Adani F. (2011). Effects of biodrying process on municipal solid waste properties. *Bioresource & Technology*, 102, 7443–7450.
84. Tenca A., Schievano A., Lonati S., Malagutti L., Oberti R., Adani F. (2011). Looking for practical tools to achieve next-future applicability of dark fermentation to produce bio-hydrogen from organic materials in Continuously Stirred Tank Reactors. *Bioresource & Technology* 102, 7910.
85. Schievano A., D'Imporzano G., Salati S., Adani F. On-field study of anaerobic digestion full-scale plants (Part I): An on-field methodology to determine mass, carbon and nutrients balance. *Bioresource & Technology* 102, 7737–7744.
86. Adani F., d'Imporzano G., Schievano A., Boccasile G., Sommariva F., Deias A. (2011). Sustainable management of nitrose and nutrient. *Biocycle*, October, 54-57.
87. Schievano A., Perazzolo F., Adani F., Oberti R (2011). Biohydrogen from thermophilic co-fermentation of swine manure with fruit and vegetable waste: Maximizing stable production without pH control. *Bioresource Technology* 102, 8582–8588.
88. Schievano A., D'Imporzano G., Orzi V., Adani A. (2011). On-field study of anaerobic digestion full-scale plants (Part II): New approaches in monitoring and evaluating process efficiency. *Bioresource Technology* 102, 8814–8819.
89. Salati S., Papa G., Adani F. (2011). Perspective on the use of humic acids from biomass as natural surfactants for industrial applications. *Biotechnology Advances* 29, 913–922.
90. Pognani, M., Barrena, R., Sanchez, A., Font, X., Adani, F., Scaglia, B. (2012). *Tecnologia del Agua* 32 (340), 68-73.

91. Papa, G., Varanasi, P., Sun, L., Cheng, G., Stavila, V., Holmes, B., Simmons, B.A., Adani F., Singh, S. (2012). Exploring the effect of different plant lignin content and composition on ionic liquid pretreatment efficiency and enzymatic saccharification of *Eucalyptus globulus* L. utants. *Bioresource Technology*, 117 , 352-359.
92. Schievano, A., Tenca, A., Scaglia, B., Merlino, G., Rizzi, A., Daffonchio, D., Oberti, R., Adani, F. (2013). Two-stage vs single-stage thermophilic anaerobic digestion: Comparison of energy production and biodegradation efficiencies. *Environmental Science and Technology* 46, 8502-8510.
93. Salati, S., Scaglia, B., Di Gregorio, A., Carrera, A., Adani, F. (2013). The use of the dynamic respiration index to predict the potential MSW-leachate impacts after short term mechanical biological treatment. *Bioresource Technology* 128 ,351-358.
94. Tambone, F., Adani, F., Gigliotti, G., Volpe, D., Fabbri, C., Provenzano, M.R. (2013). Organic matter characterization during the anaerobic digestion of different biomasses by means of CPMAS 13C NMR spectroscopy. *Biomass and Bioenergy* 48 , 111-120.
95. Scaglia, B., Tambone, F., Adani, F. (2013). Cr(VI) reduction capability of humic acid extracted from the organic component of municipal solid waste. *Journal of Environmental Sciences* 25, 487-494.
96. Merlino, G., Rizzi, A., Schievano, A., Tenca, A., Scaglia, B., Oberti, R., Adani, F., Daffonchio, D. (2013). Microbial community structure and dynamics in two-stage vs single-stage thermophilic anaerobic digestion of mixed swine slurry and market bio-waste. *Water Research* 47, 1983-1995.
97. Salati, S., Scaglia, B., di Gregorio, A., Carrera, A., Adani, F. (2013). Mechanical biological treatment of organic fraction of MSW affected dissolved organic matter evolution in simulated landfill. *Bioresource Technology* 142, 115-120.
98. Ledda, C., Schievano, A., Salati, S., Adani, F. (2013). Nitrogen and water recovery from animal slurries by a new integrated ultrafiltration, reverse osmosis and cold stripping process: A case study. *Water Research* 47, 6157-6166.
99. Scaglia, B., Salati, S., Di Gregorio, A., Carrera, A., Tambone, F., Adani, F. (2013). Short mechanical biological treatment of municipal solid waste allows landfill impact reduction saving waste energy content. *Bioresource Technology* 143, 131-138.
100. Panseri S., D'Imporzano G., Pognani M., Cavalli M., Chiesa L., Adani F. (2013). Effect of veterinary antibiotics on biogas and bio-methane production. *International Biodeterioration & Biodegradation* 85, 205-209.

101. Sciarria, T.P., Tenca, A., D'Epifanio, A., Mecheri, B., Merlino, G., Barbato, M., Borin, S., Licoccia, S., Garavaglia, V., Adani, F. (2013). Using olive mill wastewater to improve performance in producing electricity from domestic wastewater by using single-chamber microbial fuel cell. *Bioresource Technology*, 147, 246-253.
102. Pilu, R., Cassani, E., Landoni, M., Badone, F.C., Passera, A., Cantaluppi, E., Corno, L., Adani, F. Genetic characterization of an Italian Giant Reed (*Arundo donax* L.) clones collection: Exploiting clonal selection (2014) *Euphytica* 196 (2) PP. 169 - 181 doi: 10.1007/s10681-013-1022-z.
103. Scaglia, B., D'Imporzano, G., Garuti, G., Negri, M., Adani, F. Sanitation ability of anaerobic digestion performed at different temperature on sewage sludge (2014) *Science of the Total Environment*, 466-467 888 - 897 doi: 10.1016/j.scitotenv.2013.07.114
104. Sciarria, T.P., Tenca, A., D'Epifanio, A., Mecheri, B., Merlino, G., Barbato, M., Borin, S., Adani, F. (2013). Using olive mill wastewater to improve performance in producing electricity from domestic wastewater by using single-chamber microbial fuel cell *Bioresource Technology* 147, 246 - 253 doi: 10.1016/j.biortech.2013.08.033
105. Ledda, C., Schievano, A., Salati, S., Adani, F. (2013). Nitrogen and water recovery from animal slurries by a new integrated ultrafiltration, reverse osmosis and cold stripping process: A case study *Water Research* 47 (16) PP. 6157 - 6166 doi: 10.1016/j.watres.2013.07.037
106. Papa, G., Scaglia, B., Schievano, A., Adani, F. (2014). Structure of organic matter could explain litter decomposition. *Biogeochemistry*, 117 (2-3), 313-324.
107. Scaglia, B., D'Imporzano, G., Garuti, G., Negri, M., Adani, F. (2014). Sanitation ability of anaerobic digestion performed at different temperature on sewage sludge. *Science of the Total Environment*, 466-467, 888-897.
108. Nguyen M.T., Mecheri B., D'Epifanio A. Pepè Sciarria T., Adani F., Licoccia S. (2014). Iron chelates as low-cost and effective electrocatalyst for oxygen reduction reaction in microbial fuel cells. *International J. Hydrogen*, 39, 6462-6469. <http://dx.doi.org/10.1016/j.ijhydene.2014.02.064>.
109. Schievano A., D'Imporzano G., Orzi V., Colombo G. b, Maggiore T., Adani F. (2014). Biogas from dedicated energy crops in Northern Italy: electric energy generation costs. *Global Change Biology – Bioenergy*. doi: 10.1111/gcbb.12186.
110. Malerba, A.D., Kaiser, K., Tambone, F., (...), Buscaroli, A., Provenzano, M.R. (2014). Hydrophilic and hydrophobic fractions of water-soluble organic matter in digestates obtained from different organic wastes. *International Biodeterioration and Biodegradation* 94, 73-78.
111. Schievano A., Tenca, A., Lonati S., Manzini E., Adani F (2014). Two-stage instead of one-stage anaerobic digestion can really increase energy recovery from biomass. *Applied Energy*, 124, 335-342.

112. Riva, C., Schievano, A., D'Imporzano, G., Adani, F. (2014) Production costs and operative margins in electric energy generation from biogas. Full-scale case studies. *Waste Management*, 34 (8), 1429-1435.
113. Salati, S., D'Imporzano, G., Panseri, S., Pasquale, E., Adani, F. (2014). Degradation of aflatoxin B1 during anaerobic digestion and its effect on process stability (2014). *International Biodeterioration and Biodegradation* 94, 19-23
114. Pilu, R., Cassani, E., Landoni, M., Corno, L., Adani, F. (2014) Genetic characterization of an Italian Giant Reed (*Arundo donax* L.) clones collection: Exploiting clonal selection. *Euphytica* 196 (2), 169-181.
115. Manenti F., Adani F. 2014. Integrating the Concept of Bio-Refinery onto the Biogas Field: the BIOREFILL Strategy. *Computer Aided Chemical Engineering*, 33, 1513-1518.
116. Gallia, A., Veronesi, D., Embaló, U.S., (...), Adani, F., Schievano, A. (2014). Domestic low-tech anaerobic digesters in Guiné-Bissau: a bench-scale preliminary study on locally available waste and wastewater (2014). *Environment, Development and Sustainability*, in press.
117. Corno, L., Pilu, R., Adani, F. *Arundo donax* L.: A non-food crop for bioenergy and bio-compound production (2014). *Biotechnology Advances* 32 (8), 1535-1549.
118. Scaglia, B., Cassani, E., Pilu, R., Adani, F. (2014). Expression of *Arabidopsis thaliana* S-ACP-DES3 in *Escherichia coli* for high-performance biodiesel production. *RSC Advances* 4 (108), 63387-63392.
119. Tambone, F., Terruzzi, L., Scaglia, B., Adani, F. (2015) Composting of the solid fraction of digestate derived from pig slurry: Biological processes and compost properties, *Waste Management* 35, 55-61.
120. Pepe Sciarria, T., Merlino, G., Scaglia, B., (...), Licocchia, S., Adani, F. (2015) Electricity generation using white and red wine lees in air cathode microbial fuel cells. *Journal of Power Sources* 274, 393-399.
121. Scaglia, B., Pognani, M., Adani, F. (2015). Evaluation of hormone-like activity of the dissolved organic matter fraction (DOM) of compost and digestate. *Science of the Total Environment* 514, 314-321.
122. Papa, G., Rodriguez, S., George, A., (...), Adani, F., (2015). Comparison of different pretreatments for the production of bioethanol and biomethane from corn stover and switchgrass. *Bioresource Technology* 183, 101-110.
123. Luca, C., Pilu, R., Tambone, F., Scaglia, B., Adani, F. (2015). New energy crop giant cane (*Arundo donax* L.) can substitute traditional energy crops increasing biogas yield and reducing costs. *Bioresource Technology*, 192, 197-204.
124. Orzi, V., Scaglia, B., Lonati, S., (...), Alborali, G.L., Adani, F. (2015). The role of biological processes in reducing both odor impact and pathogen content during mesophilic anaerobic digestion. *Science of the Total Environment*, 526, 116-126.

125. Schievano, A., Adani, F., Buessing, L., (...), Rossoni, M., Goldfarb, J.L. (2015) An integrated biorefinery concept for olive mill waste management: Supercritical CO₂ extraction and energy recovery. *Green Chemistry*, 17, 2874-2887.
126. Busato, J.G., Papa, G., Canellas, L.P., (...), de Oliveira, A.L., Leão, T.P. (2015) Phosphatase activity and its relationship with physical and chemical parameters during vermicomposting of filter cake and cattle manure. *Journal of the Science of Food and Agriculture*, in press.
127. Manzini, E., Scaglia, B., Schievano, A., Adani, F. Dark fermentation effectiveness as a key step for waste biomass refineries: Influence of organic matter macromolecular composition and bioavailability *International Journal of Energy Research*, in press.